

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Sherrie Struble	Licence Number 2013651	Inspection Date March 28, 2022
Facility Name Magnetic Hill Academy	Telephone Number (506) 961-6494	
Address 777 Front Mountain Road Moncton NB E1G 3H2		
Name of Early Learning and Childcare Licensing Staff Erika Hickey	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
13(2) An operator of a licensed facility shall not employ or otherwise engage a person as a staff member if the person (b) has been identified by a check with the Department of Social Development under paragraphs 12(4)(a) to (d).	13(2)(b)	Apr 04, 2022	
Comments:			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Mar 28, 2022	Mar 28, 2022
Comments: A Mod Podge spray can was found in the play area. Operator immediately placed it with the locked products. Deficiency is now compliant			
41(3) An operator of a licensed facility shall (a) post diaper-changing procedures in diaper-changing areas.	41(3)(a)	Mar 28, 2022	Mar 28, 2022
Comments: The procedures were posted in the storage area. Operator placed in the bathroom. Deficiency is now compliant			

General Comments
The Quality Assurance Monitor is on site for a monitoring inspection. During the monitoring inspection the Quality Assurance Monitor was able to see positive guidance and a music and dancing activity.

original signed by
Erika Hickey

Signature of Early Learning and Childcare Licensing Staff

March 28, 2022

Date

original signed by
Sherrie Struble

Signature of Operator/Designate

March 28, 2022

Date