

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Angie Gould	Licence Number 2013754	Inspection Date September 03, 2019
Facility Name Angie's Little Peeps Early Learning and Childcare		Telephone Number (506) 328-6724
Address 115 Maxwell St Woodstock NB E7M 0B6		
Name of Early Learning and Childcare Licensing Staff Mary Ramsay-Irving		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
10(7) Despite subsection (1), infants shall not be grouped with children of another age group. Comments: Deficiency is now compliant	10(7)	Jul 24, 2019	Jul 24, 2019
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate; Comments: Deficiency is now compliant	11(a)	Aug 30, 2019	Aug 30, 2019
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. Comments: Deficiency is now compliant	28(2)	Jul 31, 2019	Aug 22, 2019
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions. Comments: Deficiency is now compliant	33(2)	Aug 30, 2019	Aug 31, 2019
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Deficiency is now compliant	39(2)(a)	Jul 24, 2019	Jul 24, 2019
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility. Comments: Deficiency is now compliant	44(a)	Aug 30, 2019	Aug 30, 2019

General Comments

original signed by
Mary Ramsay-Irving

September 03, 2019

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Angie Gould

September 03, 2019

Signature of Operator/Designate

Date