

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Riverside Montessori Learning Centre Inc	Licence Number 2013978	Inspection Date April 05, 2022	
Facility Name Riverside Montessori Learning Centre		Telephone Number (506) 454-2052	
Address 717 Woodstock Road Fredericton NB E3B 5N8			
Name of Early Learning and Childcare Licensing Staff Megan Munden		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected

<p>General Comments</p> <p>On the morning of my monitoring visit, one group of children were on a field trip to the Library and another group remained at the centre and had a guest speaker do a presentation on insects.</p> <p>The children at the centre were participating in a number of small group activities. I observed children playing with playdough, creating paper structures with construction paper and tape, reading a story about Egyptian Mummies, and playing with Safari Animals.</p> <p>There were recent learning stories posted throughout the centre and the greenhouse is set up with lots of newly planted seeds.</p> <p>Two additional children arrived during my visit and educators were quick to greet them, say "Good Morning!" and remind them to wash their hands.</p> <p>The educators demonstrated excellent child guidance practices during the presentation on insects. Educators provided children with gentle reminders to sit so all friends could see, take turns asking questions and use their eyes to see the displays.</p> <p>Children also had outdoor play time before lunch. There is a large bin of toys available for the children to choose from. Children were playing with dinosaur figures, balls, and trucks.</p> <p>I verified staff files for three new staff. All was complete.</p> <p>Please change the childproof lock for the cabinet under the sink to a lock with a key.</p> <p>With the snow and ice gone, please add to your pea gravel or rake what you have to ensure that under the stationary climbing equipment is 30 centimeters deep.</p>
--

original signed by
Megan Munden

Signature of Early Learning and Childcare Licensing Staff

April 05, 2022

Date

original signed by
Holly Goodwin

Signature of Operator/Designate

April 05, 2022

Date