

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|--|---------------------------|---|
| Name of operator JMJA WALSH CHILDCARE LTD. | Licence Number 2014130 | Inspection Date December 09, 2021 |
| Facility Name Wee College Trites | | Telephone Number (506) 388-1800 |
| Address 1 Trites Road Riverview NB E1B 2V5 | | |
| Name of Early Learning and Childcare Licensing Staff Lisa Green | | Position Title Quality Assurance Monitor |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|--|------------|----------------------|----------------|
| 28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. Comments: Fire drill and evacuation not recorded for November 2021. | 28(2) | Jan 04, 2022 | |
| 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Wall tiles broken or missing in small bathroom. To be repaired. | 28(3)(a) | Jan 04, 2022 | |
| 30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. Comments: Four Year Old Room: Screws protruding from door jam. To be repaired. Window ledges accumulating clutter and debris. To be decluttered and cleaned. Walls - paint chipping and walls in poor repair. To be painted and repaired. | 30(3) | Jan 04, 2022 | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments: Four Year Old Room: Paper lacking in creative art centre. A variety of paper of different sizes, textures, colours and shapes should be available daily. | 32(1)(a) | Jan 04, 2022 | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility, Comments: Some materials in infant room are on higher shelves and not easily accessible for infant children. Materials to be accessible on children's level. | 32(1)(b) | Jan 04, 2022 | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. | 32(1)(d) | Jan 04, 2022 | |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|----------------------|------------|----------------------|----------------|
|----------------------|------------|----------------------|----------------|

Comments: Four Year Old Room:
Plexiglass on table top cracked and broken. To be removed or replaced.

General Comments

Renewal inspection completed today.

Children were in the outdoor play area when inspectors arrived before returning to the centre for play and lunch time.

Ensure infant daily information sheets are completed as activities are completed throughout the day. This ensures that information is accurate and recorded in a timely manner.

original signed by
Lisa Green

Signature of Early Learning and Childcare Licensing Staff

January 26, 2022

Date

original signed by
M Walsh

Signature of Operator/Designate

January 26, 2022

Date