

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator JMJA WALSH CHILDCARE LTD.	Licence Number 2014131	Inspection Date December 12, 2019
Facility Name WEE COLLEGE TRITES TOO		Telephone Number (506) 388-1800
Address 1 Trites Road Riverview NB E1B 2V5		
Name of Early Learning and Childcare Licensing Staff Véronique Landry		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
uuu21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Nov 01, 2019	Dec 12, 2019
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Oct 11, 2019	Dec 12, 2019
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (vii) documentary evidence of the child's learning.	24(1)(b)(vii)	Nov 01, 2019	
Comments:			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Oct 11, 2019	Dec 12, 2019
Comments: Deficiency is now compliant			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer.	41(1)(b)	Oct 09, 2019	Dec 12, 2019
Comments: Deficiency is now compliant			

General Comments

Quality Assurance Monitor conducted her inspection in the afternoon. Nap time was observed and ratios were respected at time of inspection.

General Comments

Administrators must register new staff in next Intro to ECE training session.

original signed by
Véronique Landry

Signature of Early Learning and Childcare Licensing Staff

December 12, 2019

Date

original signed by
Cara McEachnie

Signature of Operator/Designate

December 12, 2019

Date