

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Creating Wonders Daycare Inc.	Licence Number 2014135	Inspection Date July 27, 2022	
Facility Name Creating Wonders		Telephone Number (506) 523-4434	
Address 203 Main St Rexton NB E4W 2A9			
Name of Early Learning and Childcare Licensing Staff Erin MacLaggan		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Aug 05, 2022	
Comments: There are three staff who were hired without obtaining First Aid & CPR training. All staff must obtain the training and a copy of the certificate must be placed in their files. Operator must ensure that staff meet staff requirements prior to hiring.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (i) the staff member's name, address and birth date.	24(1)(c)(i)	Jul 27, 2022	Jul 27, 2022
Comments: A staff member was working at this facility but there was no staff file present. Was corrected during the inspection. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Jul 27, 2022	Jul 27, 2022
Comments: A staff member was working at this facility but there was no staff file present. Was corrected during the inspection. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Aug 05, 2022	
Comments: There is a staff member who has not signed a statement regarding their obligations under the Act and Licensing Regulations. Operator must ensure that all staff read and understand their obligations and sign the statement to verify.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be.	24(1)(c)(v)	Jul 28, 2022	
Comments: There is a staff member who was hired without a CRC/VSC. Staff must leave and cannot return until the check has been completed.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.	24(1)(c)(vi)	Jul 28, 2022	
Comments: There is a staff member who was hired without a SD Check. Staff must leave and cannot return until the check has been completed.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Aug 05, 2022	
Comments: There are three staff who were hired without obtaining First Aid & CPR training. All staff must obtain the training and a copy of the certificate must be placed in their files. Operator must ensure that staff meet staff requirements prior to hiring.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jul 27, 2022	
Comments: Under the stationary equipment there is an accumulation of water/staff added water for water play. Standing water/wading pools are prohibited as they are unsafe and can be a breeding ground for insects, algae, bacteria. Water must be drained immediately. Only fresh water in water tables or running water such as sprinklers are permitted in the outdoor play area.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Aug 02, 2022	
Comments: There is an inadequate amount of protective surfacing under the play structure. The ground seems compacted under the gravel and bare spots of earth are showing in high traffic fall zones. It is recommended that the operator ceases use of the structure until the surfacing is at an adequate depth to protect from a fall. Also, the plastic floor of the structure, located at the top of the slide, is soft and beginning to sag/buckle. Operator must have the structure inspected to ensure safety and if required, replace the equipment.			

General Comments

The Operator will verify by email to the QA Monitor when the above listed items are corrected.

original signed by
Erin MacLaggan

Signature of Early Learning and Childcare Licensing Staff

July 27, 2022

Date

original signed by
Karlee Robertson

Signature of Operator/Designate

July 27, 2022

Date