

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Creating Wonders Daycare Inc.	Licence Number 2014135	Inspection Date February 01, 2021
Facility Name Creating Wonders		Telephone Number (506) 523-4434
Address 203 Main St Rexton NB E4W 2A9		
Name of Early Learning and Childcare Licensing Staff Ashley Kelly		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Feb 03, 2021	
Comments: Operator will advise Inspector once staff are enrolled in a first aid course and the dates of completion.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (a) financial records.	24(1)(a)	Feb 05, 2021	
Comments: Operator advised that financial records must be kept onsite for each separate license.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Feb 03, 2021	
Comments: Operator will advise Inspector once staff are enrolled in a first aid course and the dates of completion.			
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.	29	Feb 05, 2021	
Comments: Fencing that is rolled up on the ground in the pathway to the outdoor play area must be removed. Operator advised Inspector that fencing is frozen to the ground and will be removed as soon as possible.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Feb 05, 2021	
Comments: Fencing that is rolled up on the ground in the pathway to the outdoor play area must be removed. Operator advised Inspector that fencing is frozen to the ground and will be removed as soon as possible.			
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.	31(6)	Feb 05, 2021	
Comments: Fencing that is rolled up on the ground in the pathway to the outdoor play area must be removed. Operator advised Inspector that fencing is frozen to the ground and will be removed as soon as possible. Both gates are broken and must be repaired.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
36(3) The rest area of a full-time early learning and childcare centre and an early learning and childcare home shall be equipped with the following: (b) a cot or nap mat appropriate for the height of the child for each child who is at least 15 months of age and under five years of age who takes naps.	36(3)(b)	Feb 05, 2021	
Comments: Nap mats must be available for children under 5 who may require a nap during rest time. Operator will provide nap mats and have them available on site.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Feb 03, 2021	
Comments: Operator has ordered a lock for the cabinet and will advise Inspector once installed.			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (d) no more than one metre from a sink.	41(1)(d)	Feb 12, 2021	
Comments: Changing area must be located one metre or less from a sink. Operator intends to install sink in Infant changing area to meet requirements.			

General Comments

Covid19 active screening being completed as required in Red Phase. Hand sanitizer is available onsite.

Inspector discussed rest periods with Administrator Robyn Augustine. Children who are tired should be given the option of a nap or quiet activity. Administrator will ensure nap mats are available on-site for children who require them.

Operator informed Inspector that a sink will be installed in the infant nap room to meet the requirements for a changing table to be within 1 meter of a sink. Operator will speak with QAM regarding the renovation.

Renovations on main washroom are completed. New washroom is not yet completed.

Positive child guidance observed at time of inspection.

Signature of Early Learning and Childcare Licensing Staff

February 01, 2021

Date

Signature of Operator/Designate

Date