

## Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Nu		lumber		Inspection Date				
Creating Wonders Daycare Inc.	2014135	5			April 22, 2021				
Facility Name					Telephone Number				
Creating Wonders				(506) 523-4434					
Address									
203 Main St Rexton NB E4W 2A9									
Name of Early Learning and Childcare Licensing Staff			Position Title						
Ashley Kelly			Inspector						
Order for Compliance		U U		Date to be corrected		Date corrected			
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;		11(a	1(a) Feb (		03, 2021	Apr 19, 2021			
Comments: Deficiency is now compliant									
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (a) financial records.		24(1)(a) F		Feb 05, 2021					
Comments: Financial records kept at second center. Operator to request exemption.									
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.		24(1)(c)(vii) Feb 03		03, 2021	Apr 19, 2021				
Comments: Deficiency is now compliant									
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.		29 Feb		Feb 0	95, 2021	Apr 19, 2021			
Comments: Deficiency is now compliant									
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.		31(3	)	Feb C	05, 2021	Apr 19, 2021			
Comments: Deficiency is now compliant									
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.		31(6			95, 2021				
Comments: Rear gate on the playground would not latch during inspection. Repairs must be made.									

## Comments: Storage closet with toxic products was found unlocked at the time of inspection. Toxic products must remain locked by key. 39(2) A licensed facility sha is inaccessible to the childre Comments: Deficiency 41(1) A licensed facility at w wear diapers shall have a st metre from a sink. Comments: Deficiency **General Comments** Inspector observed children returning from play on the playground and preparing for snack at the time of inspection.

original signed by
Ashley Kelly
Signature of Early Learning and Childcare Licensing Staff

36(3) The rest area of a full-time early learning and childcare centre and

39(2) A licensed facility shall have a separate locked storage space that

is inaccessible to the children for each of the following: (a) toxic products,

an early learning and childcare home shall be equipped with the following: (b) a cot or nap mat appropriate for the height of the child for each child who is at least 15 months of age and under five years of age

Deficiency is now compliant

chemical products and cleaning supplies;

April 22, 2021

original signed by Ashley Francis

Signature of Operator/Designate

Order for Compliance

who takes naps. Comments:

April 22, 2021

кеу.			
all have a separate locked storage space that on for each of the following: (b) medications.	39(2)(b)	Feb 03, 2021	Apr 19, 2021
is now compliant			
which services are provided to children who turdy surface that is (d) no more than one	41(1)(d)	Feb 12, 2021	Apr 19, 2021
r is now compliant			

Date

Date

Regulation

36(3)(b)

39(2)(a)

Date to be

corrected

Feb 05, 2021

Apr 19, 2021

Date corrected

Apr 19, 2021