

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence I	Licence Number			Inspection Date		
Wiggles & Giggles Early Learning Center Inc.	2014177			July 03, 2025			
Facility Name					Telephone Number		
Wiggles and Giggles Early Learning Center					(506) 939-2274		
Address							
55 King Street Sackville NB E4L 3G4							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Sophie Powers			Quality Assurance Monitor				
Order for Compliance		Reg	ulation	Date to be corrected		Date corrected	
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;			(a) Jun 0		4, 2025		
Comments: This is a second reminder. The Quality Assurance Monitor determined that one First Aid and CPR certificate was not issued by a provider recognized by WorkSafeNB. The staff member in question must obtain a valid First Aid and CPR certificate from a recognized WorkSafeNB provider or provide written confirmation from WorkSafeNB that the current certificate is exempt.							
22 The daily routine of a licensed facility shall include (b) a period of rest for a length of time that meets the needs of each infant and preschool child receiving services at the licensed facility but that does not exceed two consecutive hours unless there is a written request from a child's parent or guardian to extend the length of time.		22(b) M		May 2	28, 2025	Jul 03, 2025	
Comments: The Quality Assurance Monitor was able to confirm that the parent provided a written request to extend the length of time. Deficiency is now compliant							
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.					3, 2025	Jul 03, 2025	
Comments: All child record files verified at the time of the follow-up inspection are complete. Deficiency is now compliant							
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,					3, 2025	Jul 03, 2025	
Comments: All child record files verified at the time of the follow-up inspection are complete. Deficiency is now compliant							
25 An operator of a licensed facility shall post in a clearly visib prominent place on the premises: (d) the name of the adminis	strator.				29, 2025	Jul 03, 2025	
Comments: During the follow-up inspection, the Quality Assurance Monitor was able to confirm that the name of the administrator was posted in a visible and prominent place in the facility., Deficiency is now compliant							

Regulation	Date to be	Date corrected					
	corrected						
48(4)(d)	May 30, 2025	Jul 03, 2025					
	1, 11,						
Comments: During the follow-up inspection, the educator confirmed that infant bottles no longer need to be stored in the							
refrigerator, as the formula is now prepared immediately before being served. Deficiency is now compliant							
The Ovelity Assumes a Maniton is an aite for a new coupl fellow up in an action							
The Quality Assurance Monitor is on site for a renewal follow-up inspection.							
Children finished lunch and ware getting ready for non							
Children finished lunch and were getting ready for nap. Ratio was respected at the time of the inspection.							
,	July 08, 2025						
Date							
,	July 08, 2025						
Date	_						
	d that infant both before being inspection.	corrected 48(4)(d) May 30, 2025 d that infant bottles no longer need by before being served. Deficiency inspection. July 08, 2025 Date July 08, 2025					