

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Barrel of Monkeys Daycare Inc..	Licence Number 2014388	Inspection Date February 06, 2023
Facility Name Barrel of Monkey's Daycare		Telephone Number (506) 454-7510
Address 148 Mataya Drive Richibucto Road NB E3A 0A6		
Name of Early Learning and Childcare Licensing Staff Sabrina Diotte		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
10(7) Despite subsection (1), infants shall not be grouped with children of another age group. Comments: Deficiency is now compliant	10(7)	Jan 10, 2023	Feb 06, 2023
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act. Comments: The fire exit door in the preschool room has not been shoveled out. All emergency doors/exits need to be free of any barrier(snow) to ensure easy exit/access in the event of an emergency/fire.	28(3)(b)	Feb 06, 2023	
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: The bleach diluted solution for disinfectant was on the kitchen counter closest to the play area, and the door to the kitchen was not locked. Although your bleach solution doesn't need to be locked, it must be out of reach and therefore, must be placed at a higher level so it's not reachable by the children. There was stove top cleaner under the kitchen sink that was not locked. The medication cabinet, although out of reach to children, was not locked and there is medication such as Tylenol and toxic products inside such has Lysol and bleach. There were also two bottles of bathroom cleaning wipes on top of the fridge that was not locked by key. There was Lysol and vim inside the closet bathroom in the preschool room upstairs that was out of reach but not locked. Toxic products must be out of reach and locked by key. All medication and toxic products were locked before my departure.	39(2)(a)	Feb 06, 2023	Feb 06, 2023

General Comments
During the early morning, the children were reading books with the educator and the infants were climbing on the foam climbers. Later in the morning the children played dress up with mask and capes. The preschool children upstairs were sitting in the sofa and looking at sticky sheets.

General Comments

The children's art projects are posted on the walls throughout the Centre.

The educators were observed engaged with the children in play, they were observed sitting on the floor with them, reading them books and playing with them.

original signed by
Sabrina Diotte

Signature of Early Learning and Childcare Licensing Staff

February 06, 2023

Date

original signed by
Jean Cole

Signature of Operator/Designate

February 06, 2023

Date