

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|--|---------------------------|------------------------------------|
| Name of operator ANNETTE SMITH | Licence Number 2014605 | Inspection Date May 19, 2021 |
| Facility Name Annette's Early Childhood Care And Development Centre | | Telephone Number (506) 204-4299 |
| Address 28 Christopher Crescent Moncton NB E1G 0A5 | | |
| Name of Early Learning and Childcare Licensing Staff Ashley Kelly | | Position Title Inspector |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|--|------------|----------------------|----------------|
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. | 24(1)(f) | May 19, 2021 | May 19, 2021 |
| Comments: Absences must be recorded using number codes indicating reason for absences. Operator filled in codes once informed. Deficiency is now compliant | | | |
| 31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. | 31(3) | May 19, 2021 | May 19, 2021 |
| Comments: The outdoor play area has a lawnmower sitting in front of unlocked shed. Inspector notes gas can on floor of shed along with large hedge clippers. These items must be removed from play area or locked by key. Outdoor play area must be maintained safe and free of hazards. Deficiency is now compliant | | | |
| 39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; | 39(2)(a) | May 19, 2021 | May 19, 2021 |
| Comments: Lysol wipes, wet wipes, febreze spray and febreze air freshener were found under kitchen sink in cabinets with an under the cupboard push down child safety lock. These items must be locked with a key. Deficiency is now compliant | | | |

| |
|---|
| <p>General Comments</p> <p>Operator to contact QAM regarding change table. Currently Operator has no child under 15 months of age, but will have new infant starting in September. All children under 15 months of age must be changed on a change table.</p> <p>No school age children registered at this time.</p> |
|---|

original signed by
Ashley Kelly

Signature of Early Learning and Childcare Licensing Staff

May 19, 2021

Date

original signed by
Annette Smith

May 19, 2021

Signature of Operator/Designate

Date