

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 675708 NB INC.	Licence Number 2014624	Inspection Date April 12, 2021
Facility Name Building Futures Early Learning Child Care Center		Telephone Number (506) 384-7529
Address 178 Albert Street Moncton NB E1C 1B2		
Name of Early Learning and Childcare Licensing Staff Lorraine Kennedy		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member. Comments: Deficiency is now compliant	12(2)	Mar 01, 2021	Mar 08, 2021
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities. Comments: Deficiency is now compliant	24(1)(c)(iii)	Feb 05, 2021	Feb 19, 2021
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be. Comments: Deficiency is now compliant	24(1)(c)(v)	Mar 01, 2021	Mar 08, 2021
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility, Comments: Deficiency is now compliant	32(1)(b)	Feb 01, 2021	Apr 07, 2021
36(7) A nap mat shall be at least 5 cm in thickness and stored in a way that avoids contact with the surface of another nap mat or disinfected on both sides after each use. Comments: Deficiency is now compliant	36(7)	Mar 02, 2021	Feb 19, 2021

<p><b>General Comments</b></p> <p>Telephone meeting April 07, 2021 Quality Assurance Monitor confirmed with Operator that materials within classrooms are arranged in a manner that makes them accessible to all children.</p> <p>All other requirements previously met.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

original signed by  
Lorraine Kennedy

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

April 12, 2021

\_\_\_\_\_  
Date

original signed by  
Guylaine Landry

\_\_\_\_\_  
Signature of Operator/Designate

April 12, 2021

\_\_\_\_\_  
Date