

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 675708 NB INC.	Licence Number 2014624	Inspection Date June 11, 2024
Facility Name Building Futures Early Learning Child Care Center		Telephone Number (506) 384-7529
Address 178 Albert Street Moncton NB E1C 1B2		
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jul 22, 2024	
Comments: During the monitoring inspection, the Quality Assurance Monitor observed that some of the flooring still needs to be repaired. A conversation was had between the administrator and Quality Assurance Monitor regarding the work that is left to do. The administrator voiced being under the impression that all required work following the renewal inspection was completed. The Quality Assurance Monitor confirmed with the administrator that some of the flooring still needs to be fixed.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 14, 2024	
Comments: During the monitoring inspection the Quality Assurance Monitor observed that the material on the steps on the outdoor play structure was ripped, leaving a hole where a child could possibly get their foot stuck and injure themselves. The Quality Assurance Monitor confirmed to the administrator that children are not to use the play structure until the stairs are fixed.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Jul 22, 2024	
Comments: During the monitoring inspection, the Quality Assurance Monitor observed that the paint on some of the shelving was peeling. The Quality Assurance Monitor reminded the administrator that the material and equipment must be clean and in good repairs. The Quality Assurance Monitor informed the operator that shelving can either be repainted or replaced.			

<p>General Comments</p> <p>The Quality Assurance monitor is on site for a monitoring inspection. Ratio was respected during the visit.</p> <p>While on site the Quality Assurance Monitor verified</p> <ul style="list-style-type: none"> -Indoor play area -Indoor play area materials and equipment -Outdoor play area -Outdoor play area materials and equipment <p>During the monitoring inspection, the Quality Assurance Monitor was able to observe children play indoors and snack time.</p>

General Comments

A discussion was had with between the Quality Assurance Monitor and the administrator regarding children who have turned 2 years old and remain in the infant class in reason of no spaces available in their future group.

original signed by
Stephanie Hickey

Signature of Early Learning and Childcare Licensing Staff

June 10, 2024

Date

original signed by
Kim Bourgeois

Signature of Operator/Designate

June 10, 2024

Date