

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 675708 NB INC.	Licence Number 2014627	Inspection Date March 21, 2023	
Facility Name Building Futures Afterschool Adventure		Telephone Number (506) 384-7529	
Address 178 Albert Street Moncton NB E1C 1B2			
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister.	11(c)(ii)	Mar 15, 2023	Feb 02, 2023
Comments: Proof has been sent to the inspector. Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Mar 15, 2023	Mar 20, 2023
Comments: Inspector was able to observe purposely planned and documented programming. Deficiency is now compliant			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Mar 15, 2023	Mar 20, 2023
Comments: The monitoring inspection report was posted during the follow-up inspection. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Mar 15, 2023	Mar 20, 2023
Comments: All required information was indicated in the verified children's records. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Mar 15, 2023	Mar 20, 2023
Comments: The staff's signed statement regarding their obligations under the Act and licensing regulation was added to their file. Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (g) transporting or providing for the transportation of the child.	27(g)	Mar 15, 2023	Mar 20, 2023
Comments: All required information was indicated in the verified children's records. Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jan 27, 2023	Mar 20, 2023
Comments: The yellow and blue table was removed from the classroom. Deficiency is now compliant			
38(3) An operator of a licensed facility shall provide one potty chair or training seat for each group of three children who are being toilet-trained.	38(3)	Jan 26, 2023	Mar 20, 2023
Comments: During the follow-up inspection, inspector observed 2 training seats that were placed on the washroom floor. This was addressed with an educator, who hung them up during the inspection. Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Jan 25, 2023	Mar 20, 2023
Comments: Inspector observed no unlocked medication during the inspection. Deficiency is now compliant			

General Comments
Ratio was respected during the inspection.

original signed by
Sarah MacDougall

Signature of Early Learning and Childcare Licensing Staff

March 21, 2023

Date

original signed by
Guylaine Landry

Signature of Operator/Designate

March 21, 2023

Date