

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator			Licence Number			Inspection Date		
675708 NB INC.			2014627			August 27, 2025		
Facility Name						Telephone Number		
Building Futures Afterschool Adventure				(506) 384-7529			7529	
Address					l.			
178 Albert Str	eet Moncton NB E1C 1B2							
Name of Early Learning and Childcare Licensing Staff			Position Title					
Celina Boudreau Chiasson			Quality Assurance Monitor					
Order for Compliance			Regulation Date corre			to be cted	Date corrected	
39(2) A licensed facility shall have a separate locked storage sparsis inaccessible to the children for each of the following: (a) toxic p chemical products and cleaning supplies;			39(2)(a) Au		Aug 2	29, 2025	Aug 27, 2025	
Comments: During the monitoring inspection, the Quality Assurance Monitor observed one bottle of "Lysol wipes" in a cabinet in one of the washrooms. All toxic products, chemical products and cleaning supplies must be locke and inaccessible to children. The administrator immediately locked the bottle of "Lysol wipes". Deficiency is now compliant								
General Comments								
The Quality Assurance Monitor is on site for a monitoring inspection.								
The Quality Assurance Monitor is present during indoor play, outdoor play and lunch time.								
The Quality Assurance Monitor verified these items: - ratio and maximum number of children - child guidance - indoor play area - indoor play area materials and equipment - washrooms - storage space								
During the visit, the ratio is respected.								
original signed by Celina Boudreau Chiasson Signature of Early Learning and Childcare Licensing Staff Date								
original signed by Kelly Sweet August 27, 2025								
Signature of Operator/Designate			ate					