

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Catherine Crilley	Licence Number 2014855	Inspection Date June 17, 2021
Facility Name Crilley Connections Child Care		Telephone Number (506) 357-9938
Address 281 Restigouche Road Oromocto NB E2V 2H2		
Name of Early Learning and Childcare Licensing Staff Nancy Glendenning		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister.	11(c)(ii)	Jun 30, 2022	
Comments: Currently facility is missing 1 trained staff. Licensing staff requested an exemption form from Operator.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Jun 30, 2021	
Comments: Please ensure that the dome climbing structure has 30cm of surfacing extending 6 feet around it.			

General Comments
Please ensure that a completed application is sent to the Department 90 days prior to license expiry.
Operator has worked hard to maintain a filing system that is accessible and easily verified by licensing staff.
Currently the facility is not meeting the 50% of educators educational requirement. Licensing staff advised Operator to forward an exemption form to Inspector.
Pea gravel has been ordered for the outdoor play space. Operator stated that they will forward pictures and move the dome so that it has 6 feet clearance around it.

original signed by
Nancy Glendenning

Signature of Early Learning and Childcare Licensing Staff

June 17, 2021

Date

original signed by
Catherine Crilley

Signature of Facility Operator

June 17, 2021

Date

Signature of Operator/Designate

Date