

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator INDOOR SPORTS MANAGEMENT GROUP LTD.		Inspection Date October 06, 2026
Facility Name SportsDome Academy 2		Licence Number 2014904
Address 125 Russ Howard Drive Moncton NB E1C 0L7		Telephone Number (506) 382-7529
Type of Facility Full-time Early Learning and Child Care Centre	Maximum Number of Children 60	Ages of Children PRESCHOOL SCHOOL-AGE
ELCC Licensing Staff Sophie Powers	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above.	22(a)	Oct 07, 2026	
Comments: The Quality Assurance Monitor was on site while preschool children wake up from nap and when school aged children arrived at the facility. The QAM did not observe children, from either group, go outdoors during the afternoon. Outdoor play must occur for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance - weather permitting. The QAM will return on site for a follow-up inspection, and expect that children go outdoors, and continue to do so every day.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Oct 30, 2026	
Comments: During the inspection, the QAM noted that the monthly review of stationary equipment had not been completed for the months of August and September. A monthly review and maintenance record must be completed for all stationary equipment and must include the date of the review, the date of any repairs completed, the corrective action required, the corrective action taken, and the name of the staff member who completed the review. The operator must conduct and document a review of all stationary equipment as soon as possible and ensure that the completed records are maintained on site and available for review.			

General Comments
The Quality Assurance Monitor (QAM) was on site to conduct a monitoring inspection. During the inspection, the following elements were verified: - child-to-staff ratios, - staff files for job descriptions and signed declarations - daily activities - daily routines - washroom and diaper-changing areas - indoor play areas - storage areas for personal belongings

General Comments

- elements related to rest areas.

At the time of the inspection, child-to-staff ratios were observed to be in compliance.
Children played indoors during the visit.

original signed by
Sophie Powers

Signature of Early Learning and Childcare Licensing Staff

October 07, 2026

Date

original signed by
Dana Barron

Signature of Operator/Designated staff

October 07, 2026

Date

"I hereby acknowledge receipt of this report"