

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Go-Go Group Inc.	Licence Number 2014976	Inspection Date March 04, 2020
Facility Name Go-Go After School Hanwell	Telephone Number (506) 455-5496	
Address 1717 640 Route Hanwell NB E3C 2B9		
Name of Early Learning and Childcare Licensing Staff Jennifer Godin	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary licence issued under section 29.	21(a) – (d)	Mar 06, 2020	Mar 04, 2020
Comments: Deficiency is now compliant It was observed that the previous monitoring visit report was not posted. Childcare manager was able to produce the report before end of inspection. Inspection Reports are required to be posted within the facility in a visible, prominent location. Monitoring inspection reports are to be posted until the next monitoring inspection is conducted.			

<p>General Comments</p> <p>Children were observed happily eating lunch when inspector arrived. Educators were observed sitting with children and interacting with them during lunch. Once lunch was over, children were given the choice of free play.</p> <p>The facility offers a very bright and caring atmosphere for children to grow, learn and thrive in.</p> <p>Ratio was in according with New Brunswick Regulation under the Early Childhood Services Act.</p> <p>Please note that it is the operator's responsibility to ensure that the outdoor play area is surrounded by a protective surfacing of the appropriated depth. Please refer to section 9.3.2 of the Operator's Manual to maintain compliance. If the protective surface is not at the recommended appropriate depth in the spring, please ensure to sure add to the protective surface as soon as possible once the snow melts.</p>
--

original signed by
Jennifer Godin

Signature of Early Learning and Childcare Licensing Staff

March 04, 2020

Date

original signed by

March 04, 2020

Andrea Bell

Signature of Operator/Designate

Date