

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator YMCA of Southwestern New Brunswick Inc.		Inspection Date September 17, 2026
Facility Name YMCA - St. George - ASP		Licence Number 2015076
Address 118 Brunswick Street St George NB E5C 1A9		Telephone Number (506) 754-5654
Type of Facility Part-time Early Learning and Childcare Centre	Maximum Number of Children 17	Ages of Children SCHOOL-AGE
ELCC Licensing Staff Aimee Hanson	Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Aug 19, 2025	Aug 19, 2025
Comments: A bottle of bleach was observed inside an unlocked tote. It was advised that all cleaning materials, including bleach, must be securely locked at all times to prevent unauthorized access. This was promptly addressed, and the bleach was locked away shortly after the inspection, prior to the completion of the report. Deficiency is now compliant			

General Comments A renewal inspection was conducted today. Upon arrival, children were actively engaged in a variety of developmentally appropriate activities, including playing with a car track, building with magnetic blocks, creating at the art table, solving puzzles, and reading with an educator in the cozy corner. The indoor environment is currently undergoing reorganization following a recent relocation, and materials are still being rearranged. During the inspection, both the Inspector and Quality Assurance Monitor (QAM) recommended establishing more clearly defined learning centres to enhance structure and accessibility. This recommendation will be revisited during the next monitoring visit. Educators were observed to be fully engaged with the children, demonstrating positive interactions and meeting each child at their level. The parent information board was observed and complete displaying all required documentation. The daily routine was printed during the inspection. A bottle of bleach was initially found outside of a locked cabinet. This was promptly addressed, and photo confirmation was provided to licensing, via email, following the inspection, to verify that the cabinet was securely locked. Medications were appropriately stored in a locked box within the desk, ensuring safe and compliant handling. Outdoor materials were stored in a large tote, and the playground was observed to be safe and well-maintained. As a reminder, there is an ongoing requirement to continue to rake the mulch under the slide area to maintain the required depth for impact absorption and safety compliance.

original signed by
Aimee Hanson

Signature of Early Learning and Childcare Licensing Staff

August 19, 2025

Date

original signed by
Jennifer Cormier

August 19, 2025

Signature of Operator/Designated staff

Date

"I hereby acknowledge receipt of this report"