

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 679028 N.B. INC.	Licence Number 2015092	Inspection Date September 29, 2021
Facility Name Riverview Riddles and Rhymes Childcare		Telephone Number (506) 387-4989
Address 567 Coverdale Road Riverview NB E1B 3K7		
Name of Early Learning and Childcare Licensing Staff Maryse Léger		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Oct 06, 2021	
Comments: One of the four audited child files is missing a second emergency contact with complete contact information.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Oct 04, 2021	
Comments: One staff file is missing the description of duties and responsibilities.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Oct 04, 2021	
Comments: One staff file is missing the signed statement regarding obligations under the Act and licensing regulation.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Oct 13, 2021	
Comments: Some of the structures in the playground do not have the required depth of protective surface as indicated by the manufacturer's instruction manual. The operator must ensure that the correct amount of protective surface is in place before the children are allowed to use the play structures.			
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.	31(6)	Oct 04, 2021	
Comments: The gate to the preschool play area does not latch. Administrator must ensure that gate latches securely.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Oct 13, 2021	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: The climbing structure in the playground does not have the required depth of protective surfacing. The Operator must ensure that the correct amount of protective surfacing is in place before the children are allowed to use this structure.			

General Comments

During the inspection, the Inspector observed outdoor and indoor play as well as lunch, nap and snack time. The ratio is in compliance at the time of inspection.

original signed by
Maryse Léger

 Signature of Early Learning and Childcare Licensing Staff

September 29, 2021

 Date

original signed by
Dawna Vanbuskirk

 Signature of Operator/Designate

September 29, 2021

 Date