



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 679028 N.B. INC.	Licence Number 2015093	Inspection Date January 27, 2023
Facility Name Riverview Youth Connection		Telephone Number (506) 387-4989
Address 567 Coverdale Road Riverview NB E1B 3K7		
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Jan 27, 2023	Jan 25, 2023
Comments: The operator informed the inspector that the employee missing a copy of a valid first aid (FA) certificate and a valid cardiopulmonary resuscitation (CPR) certificate is no longer employed at the facility. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Jan 09, 2023	Jan 25, 2023
Comments: The operator informed the inspector that the employee missing the signed statement regarding obligations under the Act and licensing regulation is no longer employed at the facility. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Jan 27, 2023	Jan 25, 2023
Comments: The operator informed the inspector that the employee missing a copy of a valid first aid (FA) certificate and a valid cardiopulmonary resuscitation (CPR) certificate is no longer employed at the facility. Deficiency is now compliant.			

<p>General Comments</p> <p>Operator verified in writing via email that all orders for compliance have been corrected.</p> <p>No on-site visit was conducted.</p>

original signed by
Kyleigh Roy

January 26, 2023

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Kelley Collins

January 26, 2023

Signature of Operator/Designate

Date