

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 679028 N.B. INC.	Licence Number 2015093	Inspection Date April 25, 2023	
Facility Name Riverview Youth Connection		Telephone Number (506) 387-4989	
Address 567 Coverdale Road Riverview NB E1B 3K7			
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected

<p>General Comments</p> <p>Visit done at the centre for a monitoring inspection.</p> <p>During the visit, the Quality Assurance monitor verified:</p> <ul style="list-style-type: none"> - Storage space for toxic products, chemical products and cleaning supplies. - Protective surfaces in the outdoor play area - Child guidance - If all necessary documents were posted in a visible and prominent place in the facility. <p>No non-compliance in regard to these elements.</p> <p>QA monitor had a conversation with the operator regarding the outdoor climbing dome. In the outdoor play area, a dome to climb onto is surrounded by protective surfacing but the protective surfacing is not of appropriate depth. If they want to use the climbing dome, the pea gravel should be turned over or raked weekly to ensure proper depths are maintained. The recommended minimum depth of material (compacted) is 30 cm. Operator informed QA monitor that the dome is only used to play underneath and not for climbing. A tarp is put on top of it, to stop children from climbing. Operator must make sure that the dome is inaccessible for climbing before children go outside to play.</p> <p>When QA monitor arrived on site, children were playing in the outdoor play area. Quality Assurance Monitor asked the staff members how many children in their group were present at the moment. Staff members were unsure about the number of children present and had to go count on the attendance sheet. Educators must know how many children are signed in on their attendance record sheets at all times. QA monitor had a discussion with the operator regarding this.</p> <p>QA monitor also discussed with the operator the article 9(5) of the Regulation (the number of children grouped at a full-time and part-time early learning and childcare centre shall not be more than the number that requires two educators).</p> <p>The operator had questions in regards to adding an age group to her license. QA monitor explained the steps that will need to be taken, and will send the operator details via email.</p>

original signed by
Sophie Powers

Signature of Early Learning and Childcare Licensing Staff

April 26, 2023

Date

original signed by
Sarah Coulter

Signature of Operator/Designate

April 26, 2023

Date