

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Number		Inspectio	Inspection Date	
ORIGINS NATURAL LEARNING CHILDCARE LTD	2015635		March 21	March 21, 2022	
Facility Name		Telephone Number			
ORIGINS NLC 635			(506) 634-1979		
Address			-		
4 Landing Court Quispamsis NB E2E 4R2					
Name of Early Learning and Childcare Licensing Staff		Position Title			
Jodi Hennessey		Inspector			
Order for Compliance	Re	gulation	Date to be corrected	Date corrected	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a	a `	(1)(f)	Feb 11, 2022	Mar 21, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Feb 11, 2022	Mar 21, 2022
Comments: Deficiency is now compliant			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (c) permitting the administration of medication in the circumstances set out in section 46.	27(c)	Feb 11, 2022	Mar 21, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Mar 18, 2022	Mar 21, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Mar 18, 2022	Mar 21, 2022
Comments: Deficiency is now compliant			
36(4) The rest area of a full-time early learning and childcare centre and an early learning and childcare home shall allow for a space of at least 46 cm between each crib, portable playpen, cot or nap mat.	36(4)	Feb 11, 2022	Mar 21, 2022
Comments: Deficiency is now compliant			
48(4) If an infant is receiving services at a licensed facility, the operator shall (b) ensure that an infant who is bottle-fed is not fed in a crib.	48(4)(b)	Feb 11, 2022	Mar 21, 2022
Comments: Deficiency is now compliant			

General Comments

A follow up to the renewal inspection occurred today.

All outstanding orders for compliance were completed and the facility is recommended for license renewal.

General Comments	
The children were observed during outside play, coming back handwashing as well as having lunch.	from a walk, routine diaper changing and
The children's learning is evident and displayed on the walls of learning stories, pictures and captions. Educators were observed by the children's learning is evident and displayed on the walls of learning stories, pictures and captions.	·
original signed by Jodi Hennessey Signature of Early Learning and Childcare Licensing Staff	March 21, 2022 Date
original signed by Courtney Richard	March 21, 2022
Signature of Operator/Designate	Date