

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence		Number			Inspection Date		
TOTALLY KIDS DAYCARE 2015 2015756					March 20, 2019		
Facility Name					Telephor	ne Number	
TOTALLY KIDS DAYCARE					(506) 375-8000		
Address							
136 Main St Hartland NB E7P 2M5							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Mary Ramsay-Irving			Inspector				
Order for Compliance		Regulation		Date to be corrected		Date corrected	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.  Comments: Deficiency is now compliant		24(1)	24(1)(c)(iv) Mar 2		9, 2019	Mar 15, 2019	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be.  Comments: Deficiency is now compliant		24(1)(c)(v) Mar		5, 2019	Mar 07, 2019		
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;  Comments: Deficiency is now compliant		39(2)(a) Mai		Mar 1	5, 2019	Mar 15, 2019	
, ,	nace that	20/2	\/b\	Man 1	F 2010	Mar 15, 2010	
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.		39(2)	)(D)	Iviar	5, 2019	Mar 15, 2019	
Comments: Deficiency is now compliant				-			
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.  Comments: Deficiency is now compliant		44(a)		Mar 2	9, 2019	Mar 20, 2019	
General Comments							
Control Comments							
original signed by  Mary Ramsay-Irving			M	arch 2	0. 2019		

Date

Signature of Early Learning and Childcare Licensing Staff

original signed by	
Nichole Stairs	March 20, 2019
Signature of Operator/Designate	Date