

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator TOTALLY KIDS DAYCARE 2015	Licence Number 2015756	Inspection Date June 03, 2020
Facility Name Totally Kids Daycare		Telephone Number (506) 375-8000
Address 136 Main St Hartland NB E7P 2M5		
Name of Early Learning and Childcare Licensing Staff Mary Ramsay-Irving		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities. Comments: Deficiency is now compliant	24(1)(c)(iii)	Apr 24, 2020	May 15, 2020
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation. Comments: Deficiency is now compliant	24(1)(c)(iv)	Apr 24, 2020	May 15, 2020
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. Comments: Deficiency is now compliant	28(2)	Mar 20, 2020	May 15, 2020
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications. Comments: Deficiency is now compliant	39(2)(b)	Mar 16, 2020	Mar 16, 2020
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility. Comments: Deficiency is now compliant	44(a)	Apr 24, 2020	May 15, 2020

General Comments

original signed by
Mary Ramsay-Irving

Signature of Early Learning and Childcare Licensing Staff

June 03, 2020

Date

Signature of Operator/Designate

Date