

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator M & K Talbot Childcare Center Inc.	Licence Number 2015906	Inspection Date October 15, 2020	
Facility Name Wee College Hildegard Campus 1		Telephone Number (506) 830-2400	
Address 31 Hildegard Drive Moncton NB E1G 2G5			
Name of Early Learning and Childcare Licensing Staff Véronique Landry		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	Nov 30, 2020	
Comments: Staff are currently completing the Introduction to Early Childhood Education course. This deficiency will become compliant once proof, of the course completed is received.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Oct 14, 2020	Oct 14, 2020
Comments: During renewal inspection cleaning supplies were stored in the cabinet with a child safety clip. As indicated in Reg 39(1)(a) toxic products, chemical products and cleaning supplies must be stored in a locked space. This was corrected during renewal inspection. Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Oct 14, 2020	Oct 14, 2020
Comments: During renewal inspection medication were stored in the cabinet with a child safety clip. As indicated in Reg 39(1)(b) medication must be stored in a locked space. This was corrected during renewal inspection. Deficiency is now compliant			

<p>General Comments</p> <p>COVID-19</p> <p>Inspector was fully screened upon entering the facility. Inspector was able to observe parents drop off upon arrival at the facility. Parent, staff and children wore masks. Inspector confirmed that the infrared thermometers are not to be used for children under the age of 12.</p> <p>Inspector discussed with administrators the importance of having records of household members and contact information ready and available for quick contact tracing in the event of an outbreak. The facility currently has this information in files. The administrator is going to reorganize these logs to have them available for Public Health for quick contact tracing. All COVID-19 logs and documents are visible and accessible at the facility.</p> <p>During renewal inspection a group of children were observed at the washroom without community mask. Since Zone 1 is currently in the orange phase, Inspector clarified that mask must be worn in common area for children</p>
--

General Comments

over 2 years old and at all time for educators. This was put into place immediately.

Positive interaction was observed between children and educators during time of inspection. Purposely planned programming and documentation were visible in all classrooms.

original signed by
Véronique Landry

Signature of Early Learning and Childcare Licensing Staff

February 25, 2021

Date

original signed by
Stephanie Williams-Burke

Signature of Operator/Designate

February 25, 2021

Date