

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Re-Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Sandra Clements	Licence Number 2015994	Inspection Date July 09, 2021
Facility Name Mrs. Sandra's		Telephone Number (506) 455-1815
Address 24 Birchwood Cres New Maryland NB E3C 1C9		
Name of Early Learning and Childcare Licensing Staff Tanya Gaudet		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Jul 08, 2021	Jul 08, 2021
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (b) the weekly menus.	25(b)	Jul 08, 2021	Jul 08, 2021
Comments: Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Jul 22, 2021	
Comments: When observing the outdoor play environment it was noted that there was not any protective surfacing underneath or surrounding the multiple pieces of stationary equipment. Please add at least 30cm of protective surfacing underneath and 6 feet around all pieces of stationary equipment.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Jul 15, 2021	Jul 08, 2021
Comments: Deficiency is now compliant			

General Comments
<p>The children just came inside from playing outdoors when licensing staff arrived.</p> <p>The operator relayed to licensing staff that the children did a paint activity earlier in the day on the day if the licensing inspection.</p> <p>The early learning home is very inviting and welcoming.</p> <p>The stationary equipment in the outdoor environment had multiple pieces of stationary equipment however, there was no protective surfacing underneath or surrounding the equipment. Please ensure that there is at least</p>

General Comments

30cm of protective surfacing added underneath and surrounding all pieces of stationary equipment. The dome will also need to be secured into the ground as well to meet the Canadian Consumer Product Safety Act.

original signed by  
Tanya Gaudet

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

July 09, 2021

\_\_\_\_\_  
Date

original signed by  
Sandra Clements

\_\_\_\_\_  
Signature of Operator/Designate

July 09, 2021

\_\_\_\_\_  
Date