

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 2016102	Inspection Date April 18, 2019
Facility Name YMCA OF GREATER SAINT JOHN REGIONAL INFANT AND TODDLER CARE		Telephone Number (506) 646-2384
Address 191 Churchill Boulevard Saint John NB E2K 3E2		
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	May 02, 2019	
Comments: One staff member has completed A Practical Skills Review. Must have Workplace Standard First Aid and CPR Level C.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	May 02, 2019	
Comments: One staff member has completed A Practical Skills Review. Must have Workplace Standard First Aid and CPR Level C.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Apr 18, 2019	
Comments: Daily attendance not complete in 2/3s room. Children must be signed in when they arrive in the morning.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Apr 18, 2019	
Comments: Diapering changing procedures not followed in Infant Room. Diaper changing pad must be sanitized between each diaper changed.			

<p><b>General Comments</b></p> <p>Children engaged in play inside, outside and in the gym. Educators observed speaking to the children in a kind way. Educators observed engaged in songs, playdough play, mark making and creating with the children.</p> <p>Replace Bingo Daubers with non-toxic version. (example: Do a Dot)</p> <p>Ensure educators that are filling in for another educator know how many children is in the group and their age.</p>
--

General Comments

This ensures the safety of the children.

Educator without valid First Aid and CPR/AED C training must not be left alone with children at any time.

original signed by  
Britta Garnett

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

April 18, 2019

\_\_\_\_\_  
Date

original signed by  
Laura Campbell

\_\_\_\_\_  
Signature of Operator/Designate

April 18, 2019

\_\_\_\_\_  
Date