

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| me of operator Licence | | Number | | | Inspection Date | | |
|--|---------|-------------|----------------|----------------------|------------------|----------------|--|
| YMCA OF GREATER SAINT JOHN INC. | 2016102 | | | | August 21, 2019 | | |
| Facility Name | | | | | Telephone Number | | |
| YMCA OF GREATER SAINT JOHN REGIONAL INFANT AND TOD | | | ER CAR | E | (506) 646-2384 | | |
| Address | | | | | | | |
| 191 Churchill Boulevard Saint John NB E2K 3E2 | | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | | Position Title | | | | |
| Jodi Hennessey | | | Inspector | | | | |
| Order for Compliance | | Regulation | | Date to be corrected | | Date corrected | |
| 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. | | 28(3)(a) | | Jul 02, 2019 | | Aug 21, 2019 | |
| Comments: Deficiency is now compliant | | | | | | | |
| 31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. | | 31(3) | | Aug 2 | 29, 2019 | | |
| Comments: Fence not fixed to be fixed prior to license expiration of August 31, 2019. Original comply by date of August 16, 2019. | | | | | | | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. | | 32(1)(d) | | Aug 1 | 16, 2019 | Aug 21, 2019 | |
| Comments: Deficiency is now compliant | | | | | | | |
| 44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility. | | 44(a) | | Aug 1 | 16, 2019 | Aug 21, 2019 | |
| Comments: Deficiency is now compliant | | | | | | | |
| 46(4) An operator of a licensed facility shall maintain a chronologically filed medication record of all medication administered to a child. | | 46(4) Jul 0 | | Jul 02 | 2, 2019 | Aug 21, 2019 | |
| Comments: Deficiency is now compliant | | | | | | | |

General Comments

Follow up to renewal inspection:

Educators have created rich engaging environments for the children to interact and engage in. Children appear happy and content in their environment and with their educators.

Children observed in outside and inside play during follow up inspection.

original signed by

August 21, 2019

Jodi Hennessey Signature of Early Learning and Childcare Licensing Staff

Signature of Operator/Designate

August 21, 2019

Date

Date

original signed by Laura Campbell