New Nouveau Brunswick

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator		Inspection Date
M&K Talbot Childcare Centre Inc.		November 05, 2026
Facility Name		**Licence Number**
Wee College Hildegard Campus 2		2016120
Address		**Telephone Number**
31 Hildegard Drive Moncton NB E1G 2G5		(506) 830-2400
Type of Facility	**Maximum Number of Children**	**Ages of Children**
Full-time Early Learning and Child Care Centre	42	PRESCHOOL
ELCC Licensing Staff	**Position Title**	
Sophie Powers	Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play.	31(4)(b)	Dec 01, 2026	

Comments: During the inspection, the Quality Assurance Monitor (QAM) observed that only one type of surface was available to children in the preschool outdoor play area. Outdoor play areas must include more than one surface to permit different types of play.
The administrator informed the QAM that the outdoor play area previously contained two distinct surfaces. However, over time, the mulch spread onto the grassed area, resulting in the two surfaces becoming blended into one.
The operator must ensure that at least one more surface is added to the preschool play area

General Comments

The Quality Assurance Monitor (QAM) was on site in the afternoon to conduct a monitoring inspection.

During the inspection, the following elements were verified:
- Child-to-staff ratios
- Indoor play area
- Outdoor play area
- Nutrition and health practices
- New staff member files
- Required postings

During the visit, children enjoyed their afternoon snack and later transitioned to outdoor play to take advantage of the sunny weather. Educators were observed interacting positively with the children throughout the visit.

A discussion was held with the administrator regarding the parent information board. The QAM observed that several required postings, which must be displayed in a visible and prominent location within the facility, were located behind a curtain and were not easily visible to parents and guardians. The QAM recommended relocating the parent information board, or the required postings, to a more prominent and accessible location to ensure they are clearly visible to all families entering the facility.

original signed by
Sophie Powers | November 05, 2026

Signature of Early Learning and Childcare Licensing Staff | Date

original signed by
Stéphanie Williams | November 05, 2026

Signature of Operator/Designated staff | Date

"I hereby acknowledge receipt of this report"