

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686127 NB INC.	Licence Number 2016344	Inspection Date September 14, 2020
Facility Name RIVER VALLEY PRESCHOOL & DAYCARE		Telephone Number (506) 738-8103
Address 24 Epworth Park Grand Bay-Westfield NB E5K 1W3		
Name of Early Learning and Childcare Licensing Staff Patricia Kelley		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary licence issued under section 29.	21(a) – (d)	Sep 13, 2019	Jan 24, 2020
Comments:			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (e) the name and telephone number of the inspector.	25(e)	Sep 13, 2019	Dec 10, 2019
Comments:			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Sep 10, 2020	
Comments: Facility staff are using an infrared thermometer to take the children's mid-day temperature. Use of a non-contact thermometer is not permitted. Temperature checks are to be taken using an armpit or ear thermometer.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Sep 06, 2019	Dec 10, 2019
Comments: Deficiency is now compliant. Confirmed during renewal inspection on December 10, 2019.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Sep 14, 2020	
Comments: Toxic products under sink in bathroom in far room not locked by lock and key.			
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area.	43	Sep 05, 2019	Dec 10, 2019
Comments: Deficiency is now compliant			

General Comments

Monitoring Inspection: COVID-19 Recovery Phase

General Comments

The facility has the required COVID-19 postings and documents are being maintained. Staff have a cleaning process and schedule.

Two bubble groupings have been established. The children were observed to be actively engaged in play within their learning environments. Toys and materials that cannot be easily cleaned have been removed.

original signed by
Patricia Kelley

Signature of Early Learning and Childcare Licensing Staff

September 10, 2020

Date

original signed by
Tanya Brooks

Signature of Operator/Designate

September 10, 2020

Date