

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686127 NB INC.	Licence Number 2016344	Inspection Date August 03, 2022
Facility Name RIVER VALLEY PRESCHOOL & DAYCARE		Telephone Number (506) 738-8103
Address 24 Epworth Park Grand Bay-Westfield NB E5K 1W3		
Name of Early Learning and Childcare Licensing Staff Cathleen LeBlanc		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Sep 06, 2022	
Comments: The bathroom, off of the large play room, has recently been renovated. The flooring, toilet, and two sinks have been installed and the toilet and sinks are now operational. The walls need to be crack filled and painted. Original comply by date: May 20, 2022.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Aug 08, 2022	
Comments: Tops of cages / aquariums accumulating dust and debris. To be cleaned. Entrance - wooden shelving until accumulating dust and debris. To be cleaned.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Aug 03, 2022	Aug 03, 2022
Comments: Green Airplane - a protruding nail was observed. Educator fixed nail during today's inspection. Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Aug 08, 2022	
Comments: Cubby Room - Play kitchen / sink accumulating dust and debris. To be cleaned.			
41(3) An operator of a licensed facility shall (a) post diaper-changing procedures in diaper-changing areas.	41(3)(a)	Aug 03, 2022	Aug 03, 2022
Comments: Diaper-changing procedures in diaper-changing area were not posted. Operator posted this during today's inspection. Deficiency is now compliant			

General Comments
A Monitoring Inspection was completed this morning. Children were observed outside. Children were observed drawing on the outside chalk board, reading books in the outside reading area, coloring pictures in the outside art centre, playing on the equipment, and exploring the woods. The outdoor learning centres were well-defined, easy to get to with plenty of space for children to carry out the intended activity. Educators were observed using positive child guidance techniques. QAM also inspected the inside of the facility. Toys and materials were well organized and plentiful. Pencil crayons were freshly sharpened, and well defined centres were observed. Bathroom renovations are almost complete - crack filling and painting are still required.

original signed by
Cathleen LeBlanc

Signature of Early Learning and Childcare Licensing Staff

August 03, 2022

Date

original signed by
Tanya Brooks

Signature of Operator/Designate

August 03, 2022

Date