

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686127 NB INC.	Licence Number 2016344	Inspection Date March 27, 2024
Facility Name RIVER VALLEY PRESCHOOL & DAYCARE		Telephone Number (506) 738-8103
Address 24 Epworth Park Road Grand Bay-Westfield NB E5K 1W3		
Name of Early Learning and Childcare Licensing Staff Cathleen LeBlanc		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Apr 08, 2024	
Comments: Windowsills accumulating clutter. To be organized.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Apr 19, 2024	
Comments: Cubby Room - centers were not well defined. Open ended play materials and equipment to be arranged in an organized manner. Play areas to be well defined. Example - building area, arts and crafts, dramatic play, etc.			
51(3) The operator of a licensed facility shall (c) forward the original to the Minister within 24 hours of the incident.	51(3)(c)	Apr 05, 2024	
Comments: A March outbreak was not sent to Quality Assurance Monitor. This outbreak is to be sent to QAM, on an incident report.			
Original comply by date: March 29, 2024			

General Comments
<p>A Monitoring Inspection was completed this afternoon. Children were observed during quiet time and inside play. Children were observed painting, building with magnetic blocks, and building boats with popsicle sticks. A conversation was had with operator regarding the clutter on the windowsills, and the documentation that was taped to the aquariums. Operator stated that they're in the process of purchasing plexiglass, for their documentation, and operator stated that they would remove the documentation that is presently on the aquariums.</p> <p>Rooms were remeasured this afternoon. The cubby room, on the left side of the facility, measured for 7 children. The entryway measured for 4 children. Children on the left side can go between the cubby room and the entryway. Children on the left side can eat together. When it is not mealtime, there should be no more than 7 chairs in the cubby room. 11 is the maximum number of children permitted on the left side of the facility. This room is to be reorganized, and play areas are to become better defined. The right side of the basement measures for 19 children. Group size, for both sides, will depend on ages and ratio.</p>

original signed by
Cathleen LeBlanc

Signature of Early Learning and Childcare Licensing Staff

March 27, 2024

Date

original signed by
Tanya Brooks

Signature of Operator/Designate

March 27, 2024

Date