

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

686127 NB INC. 2016349 March 28, 2023 Facility Name Telephone Number GRAND BAY AFTER SCHOOL 1 (506) 738-8103 Address 27 Inglewood Drive Grand Bay-Westfield NB E5K 2E1 Name of Early Learning and Childcare Licensing Staff Position Title Jodi Hennessey Inspector Order for Compliance Regulation Date to be corrected General Comments A renewal inspection occurred today. The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen							_	
Facility Name Telephone Number GRAND BAY AFTER SCHOOL 1 (506) 738-8103 Address 27 Inglewood Drive Grand Bay-Westfield NB E5K 2E1 Name of Early Learning and Childcare Licensing Staff Position Title Jodi Hennessey Inspector Order for Compliance Regulation Date to be corrected General Comments A renewal inspection occurred today. The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health.	Name of operator	Licence Nu		mber		Inspection Date		
GRAND BAY AFTER SCHOOL 1 (506) 738-8103 Address 27 Inglewood Drive Grand Bay-Westfield NB E5K 2E1 Name of Early Learning and Childcare Licensing Staff Position Title Jodi Hennessey Inspector Order for Compliance Regulation Date to be corrected General Comments A renewal inspection occurred today. The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health.	686127 NB INC.	2016349		March 2		March 28	, 2023	
Address 27 Inglewood Drive Grand Bay-Westfield NB E5K 2E1 Name of Early Learning and Childcare Licensing Staff Position Title Jodi Hennessey Inspector Order for Compliance Regulation Date to be corrected General Comments A renewal inspection occurred today. Date corrected in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health.	Facility Name	•				Telephor	e Number	
27 Inglewood Drive Grand Bay-Westfield NB E5K 2E1 Name of Early Learning and Childcare Licensing Staff Position Title Jodi Hennessey Inspector Order for Compliance Regulation Date to be corrected General Comments A renewal inspection occurred today. Date correct of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health.	GRAND BAY AFTER SCHOOL 1			(506) 738-8103				
Name of Early Learning and Childcare Licensing Staff Position Title Jodi Hennessey Inspector Order for Compliance Regulation Date to be corrected General Comments A renewal inspection occurred today. Date corrected The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health.	Address							
Jodi Hennessey Inspector Order for Compliance Regulation Date to be corrected General Comments A renewal inspection occurred today. Date corrected A renewal inspection occurred today. The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health.	27 Inglewood Drive Grand Bay-Westfield NB E5K 2E1							
Order for Compliance Regulation Date to be corrected General Comments A renewal inspection occurred today. The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health.	Name of Early Learning and Childcare Licensing Staff			Position Title				
General Comments A renewal inspection occurred today. The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health. original signed by Jodi Hennessey March 28, 2023	Jodi Hennessey		Inspector					
A renewal inspection occurred today. The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health. original signed by Jodi Hennessey March 28, 2023	Order for Compliance		Regu	5			Date corrected	
The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care. Facility is recommended for license renewal pending the recommendation from Public Health.	General Comments							
Jodi Hennessey March 28, 2023	The children were observed in outside play for the entire inspection. A wide variety of age-appropriate materials are accessible and available for the children to interact and engage with. The downstairs environment has seen a huge improvement since the last renewal inspection. The room is opened up with tables and low shelves. The floors have been recently waxed and the tables have bright table clothes added to make this area brighter. The educators were observed having positive interactions with the children in their care.							
	Jodi Hennessey	if D	ate	M	arch 2	8, 2023		
original signed by Katherine FowlerMarch 28, 2023Signature of Operator/DesignateDate	Katherine Fowler		ate	М	arch 2	28, 2023		