

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686127 NB INC.	Licence Number 2016349	Inspection Date April 30, 2024	
Facility Name GRAND BAY AFTER SCHOOL 1		Telephone Number (506) 738-8103	
Address 27 Inglewood Drive Grand Bay-Westfield NB E5K 2E1			
Name of Early Learning and Childcare Licensing Staff Kiesha Cobbett		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	May 06, 2024	
Comments: Review of all staff files. One staff member without valid First Aid and CPR certificate- Staff to obtain. Cannot be left alone with children until completed. Email to inspector once obtained.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	May 06, 2024	
Comments: Review of all staff files. Two staff members without signed statements.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	May 06, 2024	
Comments: Review of all staff files. One staff member without valid First Aid and CPR certificate- Staff to obtain. Cannot be left alone with children until completed. Email to inspector once obtained.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	May 06, 2024	
Comments: Under sink in downstairs bathroom accumulating dirt/debris. To be cleaned.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	May 06, 2024	
Comments: Broken art table in art area. To be repaired.			

General Comments

A Renewal inspection occurred today. Children were observed in outdoor play. A wide variety of outdoor materials were provided for children to explore. Children were engaged in playing with rubber axe throwing game, tag, catch and chatting with one

General Comments

another. Educators were observed in meaningful conversation with children. The indoor environment was set up with purposefully planned invitations and wide range of age-appropriate materials for the children to explore. All staff files and random review of children's file was completed.

original signed by
Kiesha Cobbett

Signature of Early Learning and Childcare Licensing Staff

April 30, 2024

Date

original signed by
Tanya Brooks

Signature of Operator/Designate

April 30, 2024

Date