

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686593 NB LTD.	Licence Number 2016549	Inspection Date May 13, 2021	
Facility Name Reaching for Rainbows		Telephone Number (506) 389-1442	
Address 145 Lakeside Drive Riverview NB E1B 4K7			
Name of Early Learning and Childcare Licensing Staff Ashley Kelly		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	May 20, 2021	
Comments: One educator does not have a first aid certificate. This educator may not be alone with children and must remain with an Educator who has completed their certification.			
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	May 17, 2021	
Comments: One educator not enrolled in curriculum. All educators must take curriculum or hold an ECE.			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Apr 21, 2021	
Comments: Administrator is working with staff to meet requirements.			
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above.	22(a)	Apr 21, 2021	May 13, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Apr 27, 2021	May 13, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Apr 27, 2021	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: One child file missing second emergency contact.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.	24(1)(b)(v)	Apr 27, 2021	May 13, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	May 17, 2021	
Comments: 1 staff member does not have ECE and is not enrolled in curriculum.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	May 17, 2021	
Comments: 1 staff file missing a description of duties and responsibilities.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Apr 27, 2021	
Comments: 2 staff do not have signed statement in their file.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	May 20, 2021	
Comments: One staff does not have a first aid certificate. This staff must remain with other educators who have completed certification and may not be alone with children.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Apr 27, 2021	May 13, 2021
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	May 20, 2021	
Comments: Purple mats in two year old room must be removed as they have tears and are no longer non-absorbent. Small wooden couch in three and four year old room has a vinyl fabric covering which is ripped and no longer non-absorbant. Must be covered or removed.			
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act.	28(3)(b)	May 20, 2021	
Comments: Powerbar plugged in in the hallway has tape covering the outlets not in use. Inspector to confer with Fire Marshall.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	May 14, 2021	
Comments: Inspector notes that there is a section of fencing repaired with zip ties that has very sharp metal sticking out which will need covered. Inside the tires for the walking tire structure there are long bolts that should be covered. All other items noted at previous inspection completed.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.	31(6)	May 21, 2021	
Comments: Rear gate will not close due to structural issues. This must be repaired.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Apr 21, 2021	May 13, 2021
Comments: Deficiency is now compliant			
36(6) A cot, a nap mat or the mattress of a crib or portable playpen shall be washable and non-absorbent or covered with a non-absorbent layer.	36(6)	May 20, 2021	
Comments: 4 Infant crib mattresses must be replaced due to tearing.			
36(7) A nap mat shall be at least 5 cm in thickness and stored in a way that avoids contact with the surface of another nap mat or disinfected on both sides after each use.	36(7)	Apr 21, 2021	May 13, 2021
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Apr 21, 2021	May 13, 2021
Comments: Deficiency is now compliant			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer.	41(1)(b)	Apr 26, 2021	May 13, 2021
Comments: Deficiency is now compliant			
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.	47(1)	Apr 27, 2021	May 13, 2021
Comments: Deficiency is now compliant			

#### General Comments

Inspector discussed programming and documentation with Administrator. Administrator has a plan to support educators meet compliance. Inspector recommends reaching out to QAM for support.

Inspector observed all groups of children going outside during inspection.

original signed by  
Ashley Kelly

Signature of Early Learning and Childcare Licensing Staff

May 13, 2021

Date

original signed by  
Danica Carson

Signature of Operator/Designate

May 13, 2021

Date