

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686593 NB LTD.	Licence Number 2016549	Inspection Date June 04, 2021	
Facility Name Reaching for Rainbows		Telephone Number (506) 389-1442	
Address 145 Lakeside Drive Riverview NB E1B 4K7			
Name of Early Learning and Childcare Licensing Staff Ashley Kelly		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	May 20, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	May 17, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Apr 21, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Apr 27, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	May 17, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	May 17, 2021	Jun 04, 2021

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Apr 27, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	May 20, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	May 20, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act.	28(3)(b)	May 20, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jun 04, 2021	Jun 04, 2021
Comments: In the infant nap room a large stack of Tupperware bins were within reach of the crib. Inspector asked that they be removed as they posed a falling hazard. Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 07, 2021	
Comments: Long bolts sticking out inside walking tire swing must be cut off. Small metal piece attaching sandbox pole must be removed as it is sticking out and sharp. Playground must be safe and free of hazards.			
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.	31(6)	May 21, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			
36(6) A cot, a nap mat or the mattress of a crib or portable playpen shall be washable and non-absorbent or covered with a non-absorbent layer.	36(6)	May 20, 2021	Jun 04, 2021
Comments: Deficiency is now compliant			

General Comments
Inspector discussed programming and documentation with Administrator. Administrator to provide coaching to staff two mornings a week to ensure growth in this area.
Inspector discussed shade in the outdoor play area with Administrator. The building provides shade for majority of the day, but Admin will be adding in shade sails to provide extra cover in the late afternoon. Infant outdoor play area has shade sail at this time.
Administrator to notify Inspector once the playground items have been completed.

original signed by
Ashley Kelly

Signature of Early Learning and Childcare Licensing Staff

June 04, 2021

Date

original signed by
Danica Carson

June 04, 2021

Signature of Operator/Designate

Date