

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686593 NB LTD.	Licence Number 2016549	Inspection Date March 10, 2022	
Facility Name Reaching for Rainbows Child Development Centre		Telephone Number (506) 389-1442	
Address 145 Lakeside Drive Riverview NB E1B 4K7			
Name of Early Learning and Childcare Licensing Staff Mireille Comeau		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member.	12(2)	Mar 10, 2022	Mar 10, 2022
Comments: 1 staff file is missing the SD check. Needs a SD check prior to employment. Deficiency is now compliant 1 staff file is missing the date on the criminal and vulnerable check. Needs a new one with the date on it. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be.	24(1)(c)(v)	Mar 10, 2022	Mar 10, 2022
Comments: 1 staff file is missing the date on the criminal and vulnerable check. Needs a new one with the date on it. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.	24(1)(c)(vi)	Mar 10, 2022	Mar 10, 2022
Comments: 1 staff file is missing the SD check. Needs a SD check prior to employment. Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jan 10, 2022	
Comments: The inspector observed that the hallway as started to be painted. The director informed the inspector that the painter will finish the work by early April. This will remain a non-complaint but we will recommend the licence. We will verify the paint during a monitoring visit.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jan 10, 2022	Mar 10, 2022
Comments: The rugs as been washed. Deficiency is now compliant			

General Comments

While conductig the follow-up inspection, children were observed in both inside and outside play.

original signed by  
**Mireille Comeau**

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

**March 10, 2022**

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature of Operator/Designate

\_\_\_\_\_  
Date