

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686593 NB LTD.	Licence Number 2016549	Inspection Date November 10, 2022
Facility Name Reaching for Rainbows Child Development Centre		Telephone Number (506) 389-1442
Address 145 Lakeside Drive Riverview NB E1B 4K7		
Name of Early Learning and Childcare Licensing Staff Erika Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Nov 10, 2022	Nov 10, 2022
Comments: The Quality Assurance Monitor observed that a number of books in front of the washroom wait area were torn. All material and equipment must be clean and in good repair. The books were removed and replaced with new ones. A walk through of play material and equipment is recommended to ensure that the children's play material and equipment are in good repair. Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Nov 10, 2022	Nov 10, 2022
Comments: three bottles of children's tylenol were found in the office. The bottles were on a shelf. Since the office does not have a door and the medication were not locked up, the medications were accessible to children. When the Quality Assurance Monitor notified an educator, the educator immediately stored the medication with the other locked medication in the kitchen. Deficiency is now compliant			

General Comments
<p>The Quality Assurance Monitor is on site for a monitoring inspection. During the inspection, the Quality Assurance Monitor was able to observe the children during nap time, during transitions to the washroom and during indoor free play.</p> <p>The ratio was respected at all times during the inspection and the educators were observed speaking kindly to the children. In the 3 year old room, the educator was observed sitting on the ground next to some children. The educator was soothing the children to help them fall asleep by rubbing their back. Children who did not sleep were invited to read books and draw at the table.</p> <p>The diaper procedures were posted in the diaper changing area. The Quality Assurance Monitor observed that the procedures were on the wall in front of a diaper changing table but the second change table in the washroom did not have the procedures posted in a visible area. The Quality Assurance Monitor is recommending that another sheet be placed in a visible space so that the educator who is changing the diaper at this station is able to use it as a reference if needed.</p>

original signed by  
Erika Hickey

November 10, 2022

Signature of Early Learning and Childcare Licensing Staff

Date

---

Signature of Operator/Designate

---

Date