

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686593 NB LTD.	Licence Number 2016549	Inspection Date August 26, 2025	
Facility Name Reaching for Rainbows Child Development Centre		Telephone Number (506) 389-1442	
Address 145 Lakeside Drive Riverview NB E1B 4K7			
Name of Early Learning and Childcare Licensing Staff Sarah Babineau		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (a) labelled with the name of the child.	40(1)(a)	Aug 29, 2025	
Comments: The Quality Assurance Monitor observed two soothers in the infant room that were not labeled with the child's name. Additionally, at least nine unlabeled water bottles were found throughout the facility. It is essential that the operator ensures all personal items belonging to children in attendance are clearly labeled with each child's name to maintain proper identification and hygiene standards.			

General Comments
<p>The Quality Assurance Monitor was onsite to conduct a Monitoring Inspection.</p> <p>The ratio was maintained during the inspection.</p> <p>The Quality Assurance Monitor observed the following elements:</p> <ul style="list-style-type: none"> - Incident Records - Daily Activities - Personal Belongings - Diaper Change <p>During the monitoring inspection, the Quality Assurance Monitor had a discussion with the administrator regarding a changing mat in the diaper changing area. It was observed that one of the mats had a small tear. The operator must ensure that if the tear worsens, the mat is replaced promptly to maintain a non-absorbent surface and uphold hygiene standards.</p> <p>The Quality Assurance Monitor also observed a sippy cup filled with milk in the cubby area. It is recommended that the cup be stored in the refrigerator to preserve its contents safely.</p> <p>Additionally, during the inspection, children were observed transitioning to the outdoor play area and preparing for lunchtime. One classroom was engaged in group time and reading a book. Learning stories and webbing were also displayed throughout the classrooms, reflecting the ongoing educational activities.</p>

General Comments

original signed by
Sarah Babineau

Signature of Early Learning and Childcare Licensing Staff

August 26, 2025

Date

original signed by
Danica Carson

Signature of Operator/Designate

August 26, 2025

Date