

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	ne of operator Licence		Number		Inspection Date				
		2016722			June 16, 2025				
Facility Name					Telephone Number				
Look at us Grow Daycare					(506) 229-2729				
Address									
110 Snow Avenue Moncton NB E1C 8B2									
Name of Early Learning and Childcare Licensing Staff			Position Title						
Sophie Powers			Quality Assurance Monitor						
Order for Compliance			Regulation	Date corre		Date corrected			
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.		e or hold	11(b)		14, 2025	Jun 16, 2025			
Comments: The Quality Assurance Monitor was able to confirm that the staff in question is enrolled to the Introduction to ECE course. Deficiency is now compliant									
11.1(3) A staff member who works directly with infants or preschool children shall complete in each year 10 hours of training approved by the Minister related to the curriculum used at the designated facility.			11.1(3)	May	14, 2025	Jun 16, 2025			
Comments: On May 16, proof of completion for staff member was sent to the Quality Assurance Monitor via email. During the follow-up inspection, it was confirmed that the certificates were available on site. Deficiency is now compliant									
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (a) financial records.			24(1)(a)	Мау	16, 2025	Jun 16, 2025			
Comments: During the follow-up inspection, the operator confirms that all financial records were brought to the facility and are now available for license staff to verify if needed. Deficiency is now compliant									
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,		ne,	24(1)(b)(i)		14, 2025	Jun 16, 2025			
Comments: .All child record files verified at the time of the follow-up inspection are complete. Deficiency is now compliant									
24(1) For the purposes of subsection records and documents shall be main licensed facility: (b) child records that telephone number of at least two indiv parent or guardian to pick up the child emergency if the parent or guardian of Comments: All child record files	itained on the premises of t include: (iv) the name, a viduals authorized by the d and to be contacted in c	a ddress and child's ase of an	24(1)(b)(iv)			Jun 16, 2025 y is now compliant			

Order for Compliance		Regulation	Date to be corrected	Date corrected				
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.		24(1)(b)(v)	May 14, 2025	Jun 16, 2025				
	child record files verified at the time of the follow-up in	spection are c	omplete. Deficiency	is now compliant				
records and docume licensed facility: (c) s	tes of subsection 20(1) of the Act, the following onts shall be maintained on the premises of a staff member records that include (ii) the staff ons including the certificates or training referred to in c).	24(1)(c)(ii)	May 14, 2025	Jun 16, 2025				
	e proof of enrollment in the Introduction to ECE course ficiency is now compliant	has been add	ded to the staff in qu	iestion's file.				
prominent place on the at the licensed facility that allergy.	licensed facility shall post in a clearly visible and the premises: (g) whether a child receiving services y has a life-threatening allergy and a description of	25(g)	May 12, 2025	Jun 16, 2025				
Comments: Allergy information has been posted and is clearly visible in a prominent place in the facility. Deficiency is now compliant								
31(3) An operator sh		31(3)	May 13, 2025	Jun 16, 2025				
Comments: During the follow-up inspection, a visual inspection of the outdoor play area was conducted. The presence of stagnant water was not observed. The Quality Assurance Monitor also observed a cleaned play area. Toys are stored when not in use to ensure a safe and hazard-free environment. Deficiency is now compliant								
	all ensure that the outdoor play area of a licensed f more than one surface to permit different types of	31(4)(b)	May 14, 2025	Jun 16, 2025				
Comments: The Quality Assurance Monitor observed a second surface in the infant outdoor play area. The infants now have access to more than one surface to allow different types of play. Deficiency is now compliant								
	lity at which services are provided to children who ave a sturdy surface that is (b) covered with a non-	41(1)(b)	May 13, 2025	Jun 16, 2025				
Comments: The diaper changing mat has been replaced. Deficiency is now compliant								
satisfactory proof of t or the regulations un	f a licensed facility shall refuse admission to a child if the immunizations required by the Public Health Act der that Act is not provided.		May 14, 2025	Jun 16, 2025				
Comments: All child record files verified at the time of the follow-up inspection are complete. Deficiency is now compliant								
General Comments								
The Quality Assurance Monitor is on site for a follow-up renewal inspection								
The ratio is respected at the time of the visit.								
All deficiencies are now compliant. The license is recommended for renewal.								
original signed by Sophie Powers June 16, 2025								
Signature of Early Learning and Childcare Licensing Staff Date								
	original signed by							

Date

June 16, 2025