

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| me of operator Licence | | Number | | | Inspection Date | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------|----------------|----------------------|------------------|----------------|--|
| Next to Home Childcare Inc. 2016745 | | | | | March 10, 2022 | | |
| Facility Name | | | | | Telephone Number | | |
| Next to Home Early Learning and Afterschool Center | | | | | (506) 853-0893 | | |
| Address | | | | | | | |
| 234 Reade Street Moncton NB E1C 6S8 | | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | | Position Title | | | | |
| Jessica Belliveau-Doiron | | | Inspector | | | | |
| Order for Compliance | | Regulation | | Date to be corrected | | Date corrected | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation. | | | | 1, 2022 | Mar 08, 2022 | | |
| Comments: Deficiency is now compliant. Received proof of order for compliance and on-site follow-up is not required. | | | | | | | |
| 31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. | | 31(3) Ma | | Mar 1 | 1, 2022 | Mar 09, 2022 | |
| Comments: Deficiency is now compliant. Received proof of order for compliance and on-site follow-up is not required. | | | | | | | |
| 44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (c) on each outing. | | 44(c) Ma | | | 15, 2022 | Mar 10, 2022 | |
| Comments: Deficiency is now compliant. Received proof of order for compliance and on-site follow-up is not required. | | | | | | | |
| 48(2) An operator of a licensed facility may supply food to a child receiving services at the licensed facility that a parent or guardian of the child brings from the child's home if the food is labelled with the child's name and refrigerated, as required. | | 48(2) N | | Mar 1 | 1, 2022 | Mar 09, 2022 | |
| Comments: Deficiency is now compliant. Received proof of order for compliance and on-site follow-up is not required. | | | | | | | |
| General Comments | | | | | | | |

Signature of Early Learning and Childcare Licensing Staff

Date

March 10, 2022

original signed by Cindy Butland

Signature of Operator/Designate

March 10, 2022 Date