

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator SPRING ROOTS EARLY LEARNING AND CHILDCARE CENTRE INC.	Licence Number 2016842	Inspection Date April 03, 2023
Facility Name Spring Roots Early Learning & Childcare Centre		Telephone Number (506) 455-3222
Address 143 Douglas Avenue Fredericton NB E3A 2N8		
Name of Early Learning and Childcare Licensing Staff Troy Williams		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
12(3) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may, and a check with the Department of Social Development is conducted on each staff member and associated person at least every five years. Comments: One expired Criminal Record check was found in a staff file.	12(3)	Apr 11, 2023	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be. Comments: One Criminal record check was expired. Operator is waiting for new one.	24(1)(c)(v)	Apr 11, 2023	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator. Comments: Deficiency is now compliant. Educator has proof of enrollment for first aid course April 15-16, 2023.	24(1)(c)(vii)	Mar 27, 2023	Mar 27, 2023
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: There is a leak in the ceiling. One part of the ceiling has been repaired. Operator is waiting for contractor to finish the repairs to the roof.	28(3)(a)	Apr 11, 2023	
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: The cleaning closet was not locked during inspection. A basket of cleaning products was found on the top shelf in the 2-3's classroom. Operator will move those items to the cleaning closet until a locking cabinet can be installed in the bathroom.	39(2)(a)	Mar 28, 2023	

General Comments License renewal inspection was completed by quality assurance monitors Troy Williams and Janelle Hanscom. There is evidence of a pre-planned program which is demonstrated by webbing, learning stories, crafts and
--

General Comments

photographs.

The environment is well organized and has numerous learning centers set up in each room. Children are familiar with the routine of the center and classroom as noted when coming in from outside and during bathroom and handwashing times.

Educators are engaged with the children. They were seen at the children's level, speaking to them at eye level and using encouraging words.

The facility is very welcoming, inclusive environment.

original signed by

Troy Williams

Signature of Early Learning and Childcare Licensing Staff

April 03, 2023

Date

original signed by

Vanessa Baird

Signature of Operator/Designate

April 03, 2023

Date