

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Rothesay Baptist Church Inc.	Licence Number 2016893	Inspection Date September 23, 2019	
Facility Name LITTLE BLESSINGS AFTER SCHOOL CARE		Telephone Number (506) 848-6373	
Address 30 Vincent Road Rothesay NB E2E 1A2			
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
20 For the purposes of section 17 of the Act, the requirements with respect to the transportation of children are as follows: (d) the motor vehicle must be equipped with (ii) a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act, as a first aid kit that is not a personal, Type P first aid kit.	20(d)(ii)	Sep 13, 2019	Sep 23, 2019
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Sep 13, 2019	Sep 23, 2019
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Sep 13, 2019	Sep 23, 2019
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Sep 13, 2019	Sep 23, 2019
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jun 13, 2019	Sep 23, 2019
Comments: Deficiency is now compliant			

General Comments

Follow up to renewal inspection:

All outstanding orders for compliance are completed. Facility is recommended for license renewal.

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

September 23, 2019

Date

original signed by
Amy Parlee

Signature of Operator/Designate

September 23, 2019

Date