

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence		Number			Inspection Date		
Rothesay Baptist Church Inc. 201689		3			October 26, 2020		
Facility Name					Telephone Number		
LITTLE BLESSINGS AFTER SCHOOL CARE					(506) 848-6373		
Address							
30 Vincent Road Rothesay NB E2E 1A2							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Jodi Hennessey			Inspector				
Order for Compliance		Regulation		Date to be corrected		Date corrected	
 21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. Comments: Deficiency is now compliant 		21(a) – (d) Oct :		Oct 2	1, 2020	Oct 26, 2020	
24(1) For the purposes of subsection 20(1) of the Act, the following)(b)(i) Oct 2		1, 2020	Oct 26, 2020	
records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,							
Comments: Deficiency is now compliant							
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.		28(3)(a)	(a) Oct 08, 2020		Oct 26, 2020	
Comments: Deficiency is now compliant							
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.		30(3) Oct 2		Oct 2	1, 2020	Oct 26, 2020	
Comments: Deficiency is now compliant							
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.		32(1)(d) Oct 2		Oct 2	1, 2020	Oct 26, 2020	
Comments: Deficiency is now compliant							

General Comments

A follow up to the renewal inspection was conducted today. All outstanding orders for compliance are completed and the facility is recommended for license renewal.

Children were observed building with the train set and engaged in play during visit.

original signed by Jodi Hennessey

October 26, 2020

Date

Signature of Operator/Designate

Date