

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Forest Hills Baptist Church Inc.	Licence Number 2017238	Inspection Date January 06, 2023
Facility Name LIVING WATERS AFTER SCHOOL PROGRAM		Telephone Number (506) 652-4696
Address 36 Mountain Road Saint John NB E2J 2X1		
Name of Early Learning and Childcare Licensing Staff Andrea Sabean		Position Title Administrative Assistant

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Aug 19, 2022	Aug 31, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Aug 19, 2022	Aug 31, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Aug 19, 2022	Aug 31, 2022
Comments: Deficiency is now compliant			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Jul 22, 2022	Aug 31, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Aug 19, 2022	Aug 31, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Aug 19, 2022	Aug 31, 2022
Comments: Deficiency is now compliant			

General Comments
A follow up to the renewal inspection was conducted today. All outstanding orders for compliance were completed and the facility is recommended for license renewal pending the recommendation from the Office of

General Comments
the Fire Marshal.

_____ Signature of Early Learning and Childcare Licensing Staff	_____ Date
--	---------------

_____ Signature of Operator/Designate	_____ Date
--	---------------