

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of opera	ame of operator Licence		Number			Inspection Date	
The Young Women's Christian Association of Moncton 201		2017525	17525			March 11, 2024	
Inc.						Telephone	Number
Facility Name						•	
YW Margie's Early Learning Centre			(506) 85			(506) 855-	4349
Address							
135 Kendra St	treet Moncton NB E1C 9V9						
Name of Early Learning and Childcare Licensing Staff			Position Title				
Stephanie Hickey			Quality Assurance Monitor				
Order for Compliance			Regu	ılation	Date to be corrected		Date corrected
21 A licensee shall post the following documents in a clearly visible ar prominent place in the facility associated with the licence: (a) the licence (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.		he licence;	21(a)	– (d)			Mar 11, 2024
	asked the administrator why the board was end that the board was being rearranged and the before leaving for the bus run. The administration board.  Deficiency is now compliant	administrato	or was	s not able	e to fin	ish posting tl	ne information
records and doc licensed facility:	penciency is now compliant in process of subsection 20(1) of the Act, the following shall be maintained on the premises of (b) child records that include: (i) the child's national attention and Medicare number,	fa	24(1)	(b)(i)	Mar 1	5, 2024	
Comments:	In one out of 8 child record verified the year for contain the child's birthdate.	or the date o	f birth	n was no	t comp	olete. All child	record must
prominent place	of a licensed facility shall post in a clearly visib on the premises: (b) the weekly menus.		25(b)			1, 2024	
				1.41.4			Mar 11, 2024
Comments:	While on site the Quality Assurance Monitor representation be posted in a visible and prominent place in asked the administrator why the board was enthat the board was being rearranged and the before leaving for the bus run. The administrationard.  Deficiency is now compliant	the facility w mpty, the op administrato	as er erato or was	npty. Wh r explain s not able	nen the led to t e to fin	e Quality Ass he Quality A ish posting tl	rmation that must urance Monitor ssurance Monitor ne information

Order for Comp	liance	Regulation	Date to be	Date corrected				
Comments:	While on site the Quality Assurance Monitor noticed that be posted in a visible and prominent place in the facility wasked the administrator why the board was empty, the opthat the board was being rearranged and the administrate before leaving for the bus run. The administrator immediate board.  Deficiency is now compliant	was empty. Whoerator explain or was not able	nen the Quality Asso ed to the Quality As e to finish posting th	urance Monitor ssurance Monitor ne information				
25. An operator	of a licensed facility shall post in a clearly visible and	25(e)	Mar 11, 2024	Mar 11, 2024				
•	on the premises: (e) the name and telephone number of	23(e)	Widi 11, 2024	Wai 11, 2024				
Comments:	While on site the Quality Assurance Monitor noticed that the board that contain all the information that must be posted in a visible and prominent place in the facility was empty. When the Quality Assurance Monitor asked the administrator why the board was empty, the operator explained to the Quality Assurance Monitor that the board was being rearranged and the administrator was not able to finish posting the information before leaving for the bus run. The administrator immediately posted all the information necessary on the board.  Deficiency is now compliant							
prominent place	of a licensed facility shall post in a clearly visible and on the premises: (f) the name and telephone number of the board of directors, if applicable.	25(f)	Mar 11, 2024	Mar 11, 2024				
Comments:	While on site the Quality Assurance Monitor noticed that the board that contain all the information that must be posted in a visible and prominent place in the facility was empty. When the Quality Assurance Monitor asked the administrator why the board was empty, the operator explained to the Quality Assurance Monitor that the board was being rearranged and the administrator was not able to finish posting the information before leaving for the bus run. The administrator immediately posted all the information necessary on the board.  Deficiency is now compliant							
prominent place	of a licensed facility shall post in a clearly visible and on the premises: (g) whether a child receiving services acility has a life-threatening allergy and a description of	25(g)	Mar 11, 2024	Mar 11, 2024				
Comments:	While on site the Quality Assurance Monitor noticed that be posted in a visible and prominent place in the facility wasked the administrator why the board was empty, the op that the board was being rearranged and the administrate before leaving for the bus run. The administrator immediate board.  Deficiency is now compliant	was empty. Whoerator explain or was not able	nen the Quality Asso ed to the Quality As to finish posting th	urance Monitor ssurance Monitor le information				
prominent place a disease that is and the regulation	of a licensed facility shall post in a clearly visible and on the premises: (h) if a child has or may be affected by required to be reported under the Public Health Act ons under that Act by the operator of the licensed facility, has been reported.	25(h)	Mar 11, 2024	Mar 11, 2024				
Comments:	While on site the Quality Assurance Monitor noticed that be posted in a visible and prominent place in the facility vasked the administrator why the board was empty, the opthat the board was being rearranged and the administrative before leaving for the bus run. The administrator immediation board.  Deficiency is now compliant	was empty. Whoerator explain or was not able	nen the Quality Asso ed to the Quality As e to finish posting th	urance Monitor ssurance Monitor ne information				
materials and ed accessible to the	or of a licensed facility shall provide indoor play area quipment that are (b) arranged on low, open shelves and e children receiving services at the licensed facility,	32(1)(b)	Mar 13, 2024					
Comments:	In one classroom, children did not have access to the ar Monitor asked the educators if children had access to art Assurance Monitor that children did not have access and every once in a while. The Quality Assurance Monitor rereasily access the art and coloring materials.	and coloring rand the educators	material , the educa take out the crayor	tor told the Quality as and markers				

General Comments	
Monitoring inspection conducted.	
Ratio was respected during the visit.	
While on site the Quality Assurance Monitor was able to obse indoor. The Quality Assurance Monitor was also able to obser	
ariainal cianad hu	-
original signed by Stephanie Hickey	March 11, 2024
Signature of Early Learning and Childcare Licensing Staff	Date
original signed by	
Heather Surette	March 11, 2024
Signature of Operator/Designate	Date