

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator C.S.E Little Hands-Little Feet C.E.C Inc.	Licence Number 2017528	Inspection Date April 06, 2022	
Facility Name C.S.E Little Hands-Little Feet C.E.C Inc. 2		Telephone Number (506) 479-1722	
Address 1036 chemin Tobique DSL de Drummond NB E3Y 2K4			
Name of Early Learning and Childcare Licensing Staff Pascale Dumont-Levesque		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Nov 05, 2021	Apr 06, 2022
Comments: Deficiency is now compliant. The daily activities are planned.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Mar 04, 2022	Mar 03, 2022
Comments: Deficiency is now compliant. Received by email.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Mar 04, 2022	Mar 03, 2022
Comments: Deficiency is now compliant. Received by email.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jun 18, 2021	
Comments: Discussion with the operator, the structure still needs some repairs. The structure has been moved and it's now stable. Photos were taken. The structure cannot be used by children as long as the modifications have not been made. The play structure inside the daycare is made of wood and the bars are less than an inch apart. The slide is commercial, puzzle mats need to be put in double thickness as a protective surface and need to stay in place.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 18, 2021	

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: The outside play area need to be well drained and free from depressions in which water may stand. Snow and ice aren't considered a protective surface. We have to wait until spring for the protective surface to be added. Protective surface (not yet 30 cm) has been added under one of the structures. It's important to remove medium and large rocks from the protective surface and the protective surface should be 1.8m away from the play structure. The operator has been advised that she should not let them play in structures that are not compliant. The protective surface for the play equipment is not sufficient (less than 1-3 inches depending on the structure). Outdoor play structures cannot be used if they do not have the protective surface required by the manufacturer's manual or CSA. It's important to scrape for the protective surface to conform.</p>			
<p>33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.</p>	<p>33(2)</p>	<p>Jun 25, 2021</p>	
<p>Comments: Materials have been ordered to repair the commercial structure in the outdoor park which should not be used until it has been repaired. Snow and ice aren't considered a protective surface. We have to wait until spring for the protective surface to be added. Protective surface (not yet 30 cm) has been added under one of the structures. It's important to remove medium and large rocks from the protective surface and the protective surface should be 1.8m away from the play structure. The operator has been advised that she should not let them play in structures that are not compliant. The protective surface for the play equipment is not sufficient (less than 1-3 inches depending on the structure). Outdoor play structures cannot be used if they do not have the protective surface required by the manufacturer's manual or CSA. It's important to scrape for the protective surface to conform.</p>			

General Comments

During my visit in the morning, the daycare meets the requirements of the Early Childhood Services Act and New Brunswick regulation according to the ratio, the daily routine and the diaper changing.
Preparation for an easter activity with potatoes.
They're not going outside this morning. The majority of children aren't present.
The outside play area need to be well drained and free from depressions in which water may stand.

original signed by
Pascale Dumont-Levesque
 Signature of Early Learning and Childcare Licensing Staff

April 07, 2022
 Date

original signed by
Dominique Richard
 Signature of Operator/Designate

April 07, 2022
 Date