

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator C.S.E Little Hands-Little Feet C.E.C Inc.	Licence Number 2017528	Inspection Date May 19, 2022
Facility Name C.S.E Little Hands-Little Feet C.E.C Inc. 2		Telephone Number (506) 479-1722
Address 1036 chemin Tobique DSL de Drummond NB E3Y 2K4		
Name of Early Learning and Childcare Licensing Staff Pascale Dumont-Levesque		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jun 18, 2021	
Comments: Discussion with the operator, the structure still needs some repairs. The structure lacks 1 security bar. No protective surface. Toys should be removed from the structure. Photos were taken. The structure cannot be used by children as long as the modifications have not been made. The play structure inside the daycare is made of wood and the bars are less than an inch apart and it's stable. The slide is commercial, puzzle mats need to be put in double thickness as a protective surface.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 18, 2021	
Comments: The outside play area need to be well drained and free from depressions in which water may stand. Protective surface (not yet 30 cm) has been added under one of the structures. It's important to remove medium and large rocks from the protective surface and the protective surface should be 1.8m away from the play structure. The operator has been advised that she should not let them play in structures that are not compliant. The protective surface for the play equipment is not sufficient (less than 1-3 inches depending on the structure). Outdoor play structures cannot be used if they do not have the protective surface required by the manufacturer's manual or CSA. It's important to scrape for the protective surface to conform.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Jun 25, 2021	
Comments: The commercial structure in the outdoor park which should not be used until it has been repaired. The outside play area need to be well drained and free from depressions in which water may stand. Protective surface (not yet 30 cm) has been added under one of the structures. It's important to remove medium and large rocks from the protective surface and the protective surface should be 1.8m away from the play structure. The operator has been advised that she should not let them play in structures that are not compliant. The protective surface for the play equipment is not sufficient (less than 1-3 inches depending on the structure). Outdoor play structures cannot be used if they do not have the protective surface required by the manufacturer's manual or CSA. It's important to scrape for the protective surface to conform.			

General Comments

During my visit in the morning or afternoon, the daycare meets the requirements of the Early Childhood Services Act and New Brunswick regulation according to the ratio.

General Comments

Discussion with Dominique about the new daycare.
During my visit, the children had their picture taken for preschool program.

original signed by

Pascale Dumont-Levesque

Signature of Early Learning and Childcare Licensing Staff

May 19, 2022

Date

original signed by

Dominique Richard

Signature of Operator/Designate

May 19, 2022

Date