

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Lice		Licence N	cence Number			Inspection Date	
C.S.E Little Hands-Little Feet C.E.C Inc. 2017528					August 31, 2023		
Facility Name				Telephone Number			
C.S.E Little Hands-Little Feet C.E.C Inc. 2				(506) 479-1722			1722
Address							
3034 route 108 New Denmark NB E7G 2T2							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Pascale Dumont-Levesque			Quality Assurance Monitor				
Order for Compliance			Regu		on Date to be corrected		Date corrected
10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a). Comments: Deficiency is now compliant.			10(1)		Aug 22, 2023		Aug 31, 2023
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.			21	Aug 11, 2023			
Comments: On the next visit, I'll check that the planning has been started on paper.							
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (c) instructions regarding evacuation in case of a fire as approved by the fire marshal, deputy fire marshal or fire prevention officer.			25(c)	(c) Aug 18, 2023			
Comments: The evacuation procedure must be posted on the bulletin board at the entrance. If you are evacuating the daycare, what is your assembly point? A photo will be sent to me when this is done.							
31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play.			, ,	31(4)(b) Jul 21, 2			
Comments: Fall is coming and no action has been taken to add different play surfaces to the outdoor park.							
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.					·	5, 2023	
Comments: The gate at the back of the enclosed outdoor play area isn't finished, as it's missing a pole and doesn't close. For the time being, a bench has been placed in front of this door.							

General Comments

During my visit in the afternoon, the daycare meets the requirements of the Early Childhood Services Act and New Brunswick regulation according to the ratio.

When I arrived, the children were getting ready to go outside.

Pascale Dumont-Levesque Signature of Early Learning and Childcare Licensing Staff Original signed by Dominique Richard September 05, 2023 Signature of Operator/Designate Date